

# GAM Cheat Sheet

github.com/jay0lee/GAM

for GAM 4.61

## User Email

gam <who> <attributes/values>

where attributes and values are:

**language** <language code>  
**pagesize** 25|50|100  
**shortcuts** | **arrows** | **snippets** | **utf** | **webclips** on|off  
**signature** <signature text> | (file <signature file> [charset <Charset>]) (replace <Tag> <String>)\* [name <String>] [replyto <EmailAddress>]  
**vacation** on|off [subject <String> (message <String>)| (file <FileName> [charset <CharSet>]) (replace <Tag> <String>)\* [html] [contactonly] [domainonly] [startdate <Date>] [enddate <Date>]]  
[add] **label** <label name> [messagelistvisibility hide|show] [labellistvisibility hide|show|showifunread] [backgroundcolor <color>] [textcolor <color>]  
delete **label** <label name> | regex:<RegularExpression> | --ALL\_LABELS--  
update **label** search <search> replace <replace> [merge]  
update **labelsettings** <label name> name <new label name> [message\_list\_visibility show|hide] [label\_list\_visibility show|hide|show\_if\_unread]  
show **labels** [onlyuser]  
**filter** from <email address> | to <email address> | subject <words> | haswords <words> | nowords <words> | musthaveattachment | label <label name> | markread | archive | star | forward <email address> | trash | neverspam  
delete | info **filter** <FilterIDentity>  
[add] | update **sendas** <email address> <name> [default] [replyto <email address>] [treatasalias <Boolean>] [signature <String> | (file <FileName> [charset <CharSet>]) (replace <RegularExpression> <String>)\*]  
delete **sendas** <email address>  
info **sendas** <email address> [format]  
**pop** on | off [for allmail | newmail | fromnowown] [action keep | leaveinbox | archive | delete | trash | markread]  
**imap** on | off [noautoexpunge] [expungebehavior archive | deleteforever | trash] [maxfoldersize 0 | 1000 | 2000 | 5000 | 10000]  
**forward** on | off [email address] [keep | archive | delete]  
**delegate** to <user email>  
add **delegate** | **forwardingaddress** <user email>  
show **delegates** [csv]  
show **forwardingaddress**  
show **vacation** | **filters** | **imap** | **pop** | **forward** | **profile**  
show **sendas** | **vacation** | **signature** [format]  
print **delegates** | **forwardingaddress** [todrive]  
delete **delegate** | **forwardingaddress** <user email>  
**profile** shared | unshared  
update **photo** <photo filename>  
get **photo** (drivedir | (targetfolder <FilePath>)) [noshow]  
delete **photo**  
print **filters** | **forward** | **sendas** [todrive]

gam user <who> **delete** | **trash** | **untrash** messages | threads query <gmail search> [doit] [maxto<action> <number>]  
gam user <who> **modify** messages addlabel | removelabel <label> query <gmail search> [doit] [maxto<action> <number>]

where <action> is:  
delete | trash | untrash | modify  
e.g. maxtotrash, maxtountrash

## Users



gam **create** | **update** user <user email> [options]  
gam <who> **update** user [options]  
Common options:  
[firstname <First Name>] [lastname <Last Name>]  
[password <Password>] [email <New Email>]  
[gal on|off] [suspended on|off] [sha] [md5] [crypt] [nohash]  
[changepassword on|off] [org <Org Name>]

Extended options:  
[relation <relation type> <relation value>]  
[externalid <id type> <id value>]  
[phone type <phone type> value <phone value> primary | notprimary]  
[organization name <org name> title <org title> type <org type> department <org dept> symbol <org symbol> costcenter <org cost center> location <org location> description <org desc> domain <org domain> primary | notprimary]  
[address type <address type> unstructured <unstructured address> extendedaddress <address extended address> streetaddress <address street address> locality <address locality> region <address region> postalcode <address postal code> pobox <address pobox> countrycode <address country code> primary | notprimary]  
[im type <im type> protocol <im protocol> primary <im value>]  
[location type <location type> area <area> building <building> desk <desk> floor <floor> section <section> endlocation] [sshkeys expires <date> key <keyvalue>]  
[posixaccounts gecoc <gecos> gid <numeric gid> uid <numeric uid> home <home path> primary true | false shell <shell> system <systemid> username <username> endposix]  
[agreedtoterms on|off]  
[schemaname.fieldname <fieldvalue>]  
[schemaname.multiplefieldname multivalued <fieldvalue>]

Extended options for **update** only:  
[customerid <string>]  
[otheremail home | work | other | <custom> <email address>]

gam **info** user <user email> [nogroups] [noaliases] [nolicensas] [noschemas] [schemas list,of,schemas] [userview] [skus <list,of,skus>]

gam **delete** user <user email>  
gam **undelete** user <user email> [org <org Name>]

gam <who> **print**  
gam **print** users [allfields] [custom all | list,of,schemas] [userview] [ims] [emails] [externalids] [relations] [addresses] [organizations] [phones] [licenses] [photo] [firstname] [lastname] [emailparts] [deleted\_only] [id] [orderby email | firstname | lastname] [query <query>] [ascending | descending] [domain <Domain Name>] [fullname] [ou] [suspended] [changepassword] [gal] [agreed2terms] [admin] [creationtime] [aliases] [lastlogintime] [groups] [ismailboxsetup] [todrive]

gam <who> **show** gmailprofile | gplusprofile [todrive]

## Calendars

31

gam calendar <calendar email> <action> [<options>]

where action and options are:

**showacl** | **wipe**  
**add** | **update** freebusy | read | editor | owner <user email> | user <user email> | group <group email> | domain [<Domain name>] | default  
**delete** <user email> | user <user email> | group <group email> | domain [<Domain name>] | default  
**addevent** [attendee <user email>] [location <location>] [optionalattendee <user email>] [anyonecanaddself] [summary <summary>] [source <title> <url>] [description <event description>] [id <id>] [available] start allday <YYYY-MM-DD> | <start datetime> end allday <YYYY-MM-DD> | <end datetime> [guestscantinviteothers] [guestscantseeothers] [visibility default | public | private] [tentative] [notifyattendees] [recurrence <repeat>] [noreminders] | [reminder <minutes> email | popup | sms] [timezone <timezone>] [privateproperty <Key> <Value>] [sharedproperty <Key> <Value>] [colorindex <index>]  
**deleteevent** [eventid <id>] [query <query>] [notifyattendees] [doit]

gam <who> **show** calendars | calsettings  
gam <who> **delete** calendar <calendar email>  
gam <who> **add** | **update** calendar <calendar email> [selected true | false] [hidden true | false] [reminder email | sms | popup (minutes)] [summary <summary>] [colorindex (1-24)] [backgroundcolor <htmlcolor>] [foregroundcolor <htmlcolor>]  
gam <who> **update** calattendees csv <csv file> [start YYYY-MM-DD] [end YYYY-MM-DD] [allevents] [dryrun]  
gam <who> **transfer** seccals <target user> [keepuser]  
gam <who> **info** calendar <calendar email> | primary  
gam <who> **print** calendars [todrive]

## Calendar Resources

gam **create** resource <id> <Name> [parameters]  
gam **update** resource <id> [name <Name>] [parameters]

where *parameters* are:  
[description <description>] [type <type>]  
[building <building>] [capacity <number>]  
[features <features>] [floor <floor>]  
[floorsection <floorsection>]

gam **info** | **delete** resource <id>  
gam **print** resources [id] [description] [email] [type] [allfields] [todrive]  
gam **create** building <name> [id <id>] [latitude <latitude>] [longitude <longitude>] [description <description>] [floors <floors>]  
gam **update** building <name or id:id> [name <name>] [latitude <latitude>] [longitude <longitude>] [description <description>] [floors <floors>]  
gam **info** building <name or id:id>  
gam **delete** building <name or id:id>  
gam **create** feature name <name>  
gam **update** feature <name> name <newname>  
gam **delete** feature <name>

## Drive Management



gam <who> **show** filelist [todrive] [query <query>] [allfields] [createddate] [description] [fileextension] [filesize] [id] [restricted] [starred] [trashed] [viewed] [lastmodifyingusername] [lastviewedbydate] [modifieddate] [originalfilename] [quoted] [shared] [writerscanshare]

gam <who> **show** driveactivity [todrive] [fileid <id>] [folderid <id>]

gam <who> **show** drivesettings [todrive]

gam <who> **show** fileinfo <id> | [allfields | <DriveFieldName>]\*

gam <who> **show** filetree

gam <who> **show** filerevisions <id>

gam <who> **add** drivefile [localfile <filepath>] [drivefilename <filename>] [convert] [ocr] [ocrlanguage <language>] [restricted] [starred] [trashed] [viewed] [lastviewedbydate <date>] [modifieddate <date>] [description <description>] [mimetype <type>] [parentid <folder id>] [parentname <folder name>] [writerscanshare]

gam <who> **update** drivefile [localfile <filepath>] [newfilename <filename>] [id <drive file id> | drivefilename <filename>] [convert] [ocr] [ocrlanguage <language>] [restricted true | false] [starred true | false] [trashed true | false] [viewed true | false] [lastviewedbydate <date>] [modifieddate <date>] [description <description>] [mimetype <type>] [parentid <folder id>] [parentname <folder name>] [writerscanshare]

gam <who> **get** drivefile [id <file id> | query <query>] [format <openoffice | microsoft | pdf>] [targetfolder <local path>] [revision <number>]

gam <who> **delete** emptydrivefolders | drivefile <file id> [purge]

gam <who> **transfer** drive <target user> [keepuser]

gam <who> **empty** drivetrash

### ACLs

gam user <user email> **show** drivefileacl <file id> [asadmin]

gam user <user email> **add** drivefileacl <file id> [user | group | domain <value> | anyone] [withlink] [role <reader | commenter | writer | owner>] [sendemail] [emailmessage <message text>]

gam user <user email> **update** drivefileacl <file id> <permission id> [withlink] [role <reader | commenter | writer | owner>] [transferownership <true | false>] [asadmin]

gam user <user email> **delete** drivefileacl <file id> <permission id> [asadmin]

### Team Drive

gam user <email> **add** teamdrive <name>  
gam user <email> **update** teamdrive <id> [name <name>]  
gam user <email> **delete** teamdrive <id>  
gam user <email> **print** | **show** teamdrives [todrive] [asadmin]

## Groups



gam **create** group <group email> <GroupAttributes>

gam **update** group <group email>  
[admincreated true|false]  
[email <EmailAddress>]  
<GroupAttributes>

gam **info** group <group email> [nusers] [noaliases]  
[groups]

gam **update** group <group email>  
**add** | **update** | **sync**  
owner | member | manager  
{user <email address> |  
group <group address> | org <org name> |  
file <file name> | all users}

gam **update** group <group email> **clear**  
[owner] [manager] [member]

gam **update** group <group email>  
**remove** {user <email address> |  
group <group address> | org <org name> |  
file <file name> | all users}

gam **delete** group <group email>  
gam <who> **delete** group

gam **print** groups [domain <domain>]  
[member <user email>] [maxresults <results>]  
[name] [description] [admincreated] [id] [aliases]  
[members] [owners] [managers] [settings] [todrive]  
[delimiter <delimchar>] [fields <list,of,fields>]

gam **print** group-members [group <group email>]  
[domain <domain>] [member <user email>]  
[fields <list,of,fields>] [members] [todrive]

## Custom User Schema

gam **create** | **update** schema <schemaname>  
field <fieldname>  
type <bool|double|email|int64|phone|string>  
[indexed] [restricted] [multivalued]  
[range <min number> <max number>] endfield

gam **print** | **show** schemas

gam **info** schema <schemaname>

gam **delete** schema <schemaname>

## Email Aliases

gam **create** | **update** alias <alias> user | group | target  
<primary address>

gam **info** alias <alias>

gam **delete** alias [user | group | target] <alias>  
gam <who> **delete** alias

gam **print** aliases [todrive]

## Group Settings

gam **create** | **update** group <group email>  
<attributes/values>

where attributes and values are:  
**allow\_external\_members** true|false  
**message\_moderation\_level** moderate\_all\_messages |  
moderate\_new\_members | moderate\_none |  
moderate\_non\_members  
**primary\_language** <language>  
**reply\_to** reply\_to\_custom | reply\_to\_ignore |  
reply\_to\_list | reply\_to\_managers |  
reply\_to\_owner | reply\_to\_sender  
**send\_message\_deny\_notification** true|false  
**show\_in\_group\_directory** true|false  
**who\_can\_invite** all\_managers\_can\_invite |  
all\_members\_can\_invite  
**who\_can\_join** all\_in\_domain\_can\_join |  
anyone\_can\_join | can\_request\_to\_join |  
invited\_can\_join  
**who\_can\_post\_message** all\_in\_domain\_can\_post |  
all\_managers\_can\_post | all\_members\_can\_post |  
anyone\_can\_post | none\_can\_post  
**who\_can\_view\_group** all\_in\_domain\_can\_view |  
all\_managers\_can\_view | all\_members\_can\_view |  
anyone\_can\_view  
**who\_can\_view\_membership**  
all\_in\_domain\_can\_view | all\_managers\_can\_view |  
all\_members\_can\_view  
**allow\_google\_communication** true|false  
**allow\_web\_posting** true|false  
**archive\_only** true|false  
**custom\_reply\_to** <email address>  
**is\_archived** true|false  
**max\_message\_bytes** <integer>  
**members\_can\_post\_as\_the\_group** true|false  
**message\_display\_font** default\_font | fixed\_width\_font  
**description** <group description>  
**name** <new name>  
**spam\_moderation\_level** allow | moderate |  
silently\_moderate | reject  
**include\_in\_global\_address\_list** true|false  
**who\_can\_leave\_group** none\_can\_leave |  
all\_members\_can\_leave | all\_managers\_can\_leave  
**who\_can\_contact\_owner** anyone\_can\_contact |  
all\_in\_domain\_can\_contact |  
all\_members\_can\_contact |  
all\_managers\_can\_contact

## Admin Roles

gam **create** admin <user> <role>  
<customer | org\_unit <OU>>

gam **delete** admin <role assignment id>

gam **print** admins [user <user>] [role <role>] [todrive]

gam **print** roles [todrive]

## Admin Notifications

gam **update** notification id all | <notification ID> unread | read  
gam **info** notification [unreadonly]  
gam **delete** notification id all | <notification ID>

## Classroom



gam **create** course [id | alias <alias>] <CourseAttributes>  
gam **update** course <CourseID> | alias <CourseAttributes>

where <CourseAttributes> is:  
[name <name>] [section <section>]  
[teacher <teacher email>]  
[heading <heading>] [description <description>]  
[room <room>] [status <PROVISIONED | ACTIVE |  
ARCHIVED | DECLINED>]

gam **info** | **delete** course <CourseID>

gam course <CourseID> <command>

where <command> is:  
**add** student | teacher <email address>  
**add** | **delete** alias <alias>  
**sync** students | teachers group <group email> |  
ou <orgunit> | file <filename> |  
query <users query> | course <id or alias>  
**remove** student | teacher <email address>

gam **print** courses [teacher <email>] [student <email>]  
[owneremail <email>] [state <states>] [todrive]  
[aliases] [delimiter <String>]

gam **print** course-participants [course <id or alias>]  
[student <email>] [teacher <email>]  
[show all | students | teachers] [todrive]

gam **create** | **delete** gaurdian <guardian email>  
<student email>

gam **show** guardian [invitedguardian <guardian email>]  
[student <StudentItem>] [invitations]  
[states <GuardianStateList>] [<UserTypeEntity>]

gam **print** guardians [invitations] [student <email>]  
[invitedguardian <email>]  
[user <username> | group <email> |  
ou <ouname> | all users] [nocsv] [todrive]  
[states <GuardianStateList>]

where GuardianStateList is:  
COMPLETE | PENDING |  
GUARDIAN\_INVITATION\_STATE\_UNSPECIFIED

gam **cancel** guardianinvitation | guardianinvitations  
<GuardianInvitationID> <student email>

## Reports

gam **report** users [todrive] [date <YYYY-MM-DD>]  
[user <user email>] [filter <filter terms>]  
[fields <included fields>]

gam **report** admin | calendar | logins |  
tokens | drive | groups | mobile  
[todrive] [user <user email>] [filter <filter terms>]  
[ip <ip address>] [start <start datetime>]  
[end <end datetime>] [event <event name>]

where the filter specifies the search terms<sup>1</sup>.

gam **report** domain [todrive] [date <YYYY-MM-DD>]  
[fields <included fields>]

<start datetime> and <end datetime> are in the format:  
YYYY-MM-DDThh:mm:ss.000Z

<sup>1</sup> <https://developers.google.com/admin-sdk/reports/v1/reference/userUsageReport/get>

## Various

gam **version** [simple] [check]

gam **version** | **help**

gam **create** project

gam **whatis** <user email>

## User Security Settings

gam <who> | file <filename> <command>

where <command> is:

<b>show</b> tokens	( <i>oauth tokens</i> )
<b>show</b> token clientid <client id>	
<b>delete</b> token clientid <client id>	
<b>show</b> asps	( <i>app-specific pwds</i> )
<b>delete</b> asp <ID>	
<b>show</b> backupcodes	( <i>2-step verification</i> )
<b>update</b> backupcodes	
<b>delete</b> backupcodes	
<b>deprovision</b>	( <i>remove tokens, asps, and backupcodes</i> )

gam **print** tokens [todrive] [clientid <ClientID>] <who>

gam <who> **show** tokens

**S/MIME**

gam user <email> **add** smime <file <filename>>  
<password <password>> [default] [sendas <email>]

gam user <email> **update** smime [id <id>]  
[sendas <email>] <default>

gam user <email> **delete** smime <id <id>>  
[sendas <email>]

gam user <email> **show** | **print** smime primaryonly todrive

## Reseller

gam **create** | **update** resoldcustomer <domain>  
[alternateemail <email>] [phone <phone>]  
[address1 <address>] [address2 <address>]  
[address3 <address>] [contact <name>]  
[country <country>] [city <city>]  
[organizationname <name>] [postalcode <code>]  
[region <region>] [transfertoken <token>]

gam **info** resoldcustomer <domain>

gam **create** resoldsubscription <domain>  
[dealcode <code>] [plan <plan>] [purchaseorderid <po>]  
[seats <number>] [max] [sku <sku>]  
[transfertoken <token>]

gam **update** resoldsubscription <domain> <sku> [activate]  
[suspend] [startpayservice] [renewal <renewaltype>]  
[seats <number>] [max] [plan <plan>]  
[seats <number>] [max] [purchaseorderid <po>]  
[dealcode <code>]]

gam **info** resoldsubscriptions <domain>  
[transfertoken <token>]

gam **delete** resoldsubscription <domain> <sku>  
<deletiontype>

export CUSTOMER\_ID=<customer id>  
gam user <email> check serviceaccount  
gam user <email> add drivefile localfile <filepath>

## Chrome Devices



```
gam update cros <device id> [user <user info>]
[location <location info>] [notes <notes info>]
[ou <new org unit>] [assetid <asset id>]
[status active|deprovisioned|inactive|returnapproved|
returnrequested|shipped|unknown]

gam update cros <device id>
action disable|reenable|
deprovision_same_model_replace|
deprovision_different_model_replace|
deprovision_retiring_device
[acknowledge_device_touch_requirement]

gam info cros <device id> [nolists] [listlimit <Number>]
[allfields|full|basic] [start <Date>] [end <Date>]
<CrOSFieldName>* [fields <CrOSFieldNameList>]
[downloadfile latest|<Time>] [targetfolder <FilePath>]

gam print cros [query <query>] [queries <query>+]
[orderby location|user|lastsync|serialnumber|
supportenddate [ascending|descending] ]
[basic|full|allfields] [start <Date>] [end <Date>]
[nolists|recentusers|timeranges|devicefiles]
[todrive] [listlimit <Number>] [limit_to_ou <OU>]
<CrOSFieldName>*
[fields <CrOSFieldNameList>]

gam print crosactivity [query <query>] [queries <query>+]
[todrive] [limittoou <OU>] [recentusers] [timeranges]
[both] [devicefiles] [all] [listlimit <limit>] [delimiter <char>]
[start <yyyy-mm-dd>] [end <yyyy-mm-dd>]
```

## Mobile Devices



```
gam update mobile <mobile id>
action wipe | approve | block |
cancel_remote_wipe_then_activate |
cancel_remote_wipe_then_block
[model <String>] [os <String>] [useragent <String>]

gam info mobile <mobile id>

gam print mobile [query <query>] [basic|full]
[orderby deviceid|email|lastsync|
model|name|os|status|type]
[ascending|descending] [todrive]

gam delete mobile <mobile id>
```

## Organizational Units

```
gam create org <name> [description <Description>]
[parent <Parent Org>] [inherit|noinherit]

gam update org <name> [name <Name>]
[description <Description>] [parent <Parent>]
[inherit|noinherit]

gam update org <name> add | move users <Users> |
file <File Name> | group <Group Name> |
all cros | cros <device id>

gam info org <name> [nousers|child]

gam delete org <name>

gam print orgs [todrive] [tooplevelonly]
[fromparent <name>] [allfields|<list of fields>]
```

## CloudPrint



```
gam printer register

gam update printer <id> [quotaEnabled <true|false>]
[dailyQuota <number>] [public <true|false>]
[name <name>] [proxy <proxy>]
[description <description>] [currentquota <Number>]
[defaultdisplayname <String>] [displayname <String>]
[firmware <String>] [gcpversion <String>]
[istosaccepted <Boolean>] [manufacturer <String>]
[model <String>] [ownerid <EmailAddress>]
[status <Number>] |[type <String>] |[uuid <String>] |
[setupurl <URL>] |[supporturl <URL>] |
[updateurl <URL>]

gam info printer <id> [everything]

gam delete printer <id>

gam print printers [query <query>] [type <type>]
[status <status>] [extrafields <connectionStatus|
semanticState|uiState|queuedJobsCount>] [todrive]

gam printer <id> <command>

where <command> is:
add user | manager | owner <group or user email> |
[domain:]<DomainName> | public
remove <group or user email> | <domain> | public
showacl

gam printjob <printer id> submit <file or url>
[title <string>] [tag <string>]

gam printjob <id> cancel | delete

gam printjob <PrintJobID> resubmit <PrinterID>

gam printjob <PrinterID> | any fetch
[olderthan|newerthan <number><m|h|d>]
[query <query>] [status done|error|held|
in_progress|queued|submitted]
[orderby create_time|status|title]
[ascending|descending] [owner <user email>]
[limit <number>]

gam print printjobs [older_than <number><m|h|d>]
[newer_than <number><m|h|d>] [query <query>]
[status <status>] [printer <printer id>]
[owner <user email>] [limit <number>]
[orderby create_time|status|title]
[ascending|descending] [todrive]
```

## Licenses

```
gam <who> add | delete license <sku>

gam <who> update license <sku> [from] <oldsku>

gam print licenses [products <product>] [sku <sku>]
[todrive]

where <sku> is:
free | gafw | gafg | gams | gal | gae | e4e | coordinate |
vault | vfe | identity | identitypremium | coordinate | chrome |
drive20gb | drive50gb | drive200gb | drive400gb |
drive1tb | drive2tb | drive4tb | drive8tb | drive16tb

and <product> is
Google-Apps | Google-Drive-storage | Google-Vault |
Google-Coordinate | Google-Chrome-Device-Management
```

## Domain Settings

```
gam info instance
gam info domain | domainalias <domain>
gam create domain <domain>
gam create domainalias <domainalias> <parentdomain>
gam delete domain | domainalias <domain>
gam print domains | domainaliases [todrive]
gam update dosmain <domain> primary
```

## Domain Verification

```
gam create verify <domain>
gam update verify <domain> <cname|txt|site|file>
gam info verify
```

## Customer

```
gam info customer

gam update customer
[alternateemail <EmailAddress>]
[language <LanguageCode>] [phone <String>]
[organizationname <String>] [contactname <String>]
[countrycode <String>] [addressline1 <String>]
[addressline2 <String>] [addressline3 <String>]
[locality <String>] [region <String>]
[postalcode <String>] [countrycode <String>]
```

## Vault



```
gam create vaultmatter [name <name>]
[description <description>] [collaborators <emails>]
gam update vaultmatter <nameOrId> [name <name>]
[description <description>]
[addcollaborators <emails>]
[removecollaborators <emails>]
[action close|reopen|delete|undelete]
gam info vaultmatter <nameOrId>
gam print vaultmatters [todrive] [basic]
gam create vaulthold <matter nameOrId>
[name <name>] [corpus mail|drive|groups]
[query <query>] [accounts <emails>]
[orgunit <orgunit>]
[starttime YYYY-MM-DD] [endtime YYYY-MM-DD]
gam update hold <HoldNameOrId>
<matter <MatterNameOrId>> [query <query>]
[orgunit <orgunit>] [addaccounts <emails>]
[removeaccounts <emails>]
[starttime YYYY-MM-DD] [endtime YYYY-MM-DD]
gam info | delete vaulthold <HoldNameOrId>
matter <MatterNameOrId>
gam print vaultholds [matters <matters>] [todrive]
gam create export [matter <matter>] [name <name>]
[corpus <drive|mail|groups|hangouts_chat>]
[scope <all_data|held_data|unprocessed_data>]
[accounts <emails> | orgunit <orgunit> |
teamdrives <teamdrives> | rooms <rooms> | everyone]
[terms <terms>] [start <date>] [end <date>]
[timezone <timezone>] [format mbox|pst]
[excludedrafts true|false] [driveversiondate <date>]
[includeteamdrives] [includerooms]
[includeaccessinfo true|false]
gam info | download export <matter> <export>
```

## Bulk Operations

```
gam csv <csv-filename> gam <regular command>

Arguments starting with ~ will be substituted with the
value from the CSV row. For example:
```

```
gam csv newusers.csv gam create user ~Email
firstname ~Firstname lastname ~Lastname
password ~Password gal off changepassword off
org Testing/Students
```

*Note that the ~ (tilde) character may need to be escaped in some environments.*

Run multiple gam commands from batch file:  
gam **batch** <batch-filename>

When the command "commit-batch" is found, all previous commands will be completed before execution continues.

## Parallel Commands

For both csv and batch commands, GAM will run multiple actions in parallel. By default, GAM starts 5 worker threads and can run 5 commands at a time. You can raise or lower this setting by setting an environment variable called GAM\_THREADS.

Going much higher than 20 threads is not recommended or you're likely to see issues with Google API quotas.

## OAuth Key Management

Set the variable OAUTHFILE in your shell to the file containing the OAuth credentials and the variable OAUTHSERVICEFILE to the file containing the service account JSON key. The file must be in the same folder as gam.exe/gam.py or contain a path relative to this folder.

```
gam oauth info [<access token>]
```

```
gam oauth create | revoke
```

## Definitions

```
<who> user <user email> | group <group email> |
ou <ouname> | all users
<datetime> RFC3339 formatted date and time,
e.g. YYYY-MM-DDThh:mm:ss.000Z
<user email> is a user in the domain
<group email> is a group in the domain
<email address> is any email address
```

## Data Transfers

```
gam create datatransfer <old owner> drive | google+ |
calendar <new owner> [parameter <value>]
```

```
gam info datatransfer <id>
```

```
gam print datatransfers [oldowner <old owner>]
[newowner <new owner>] [status completed|failed|
InProgress|pending] [todrive]
```

```
gam print transferapps
```